



NOTES:
 Not all utilities may be shown. Some laterals were not accessible & were therefore not located. Depths shown are to center of conductive utility & are generally +/-10% of actual depth, when not distorted by adjacent conductors. Accuracy of electronic depth decreases when adjacent utilities are located within 5 ft. Critical depths require verification by potholing. Sanitary & storm systems were not located.

ABBREVIATIONS

AB	ABANDONED
BX	BOX
COND	CONDUIT
CB	CATCH BASIN
CM	COMMUNICATION
CD	CLEAN OUT
CMP	CORRUGATED METAL PIPE
EL	ELECTRIC
EDP	END OF PIPE
EDT	END OF TRACE
FH	FIRE HYDRANT
FDD	FULL OF DEBRIS
FW	FIRE WATER
G	GAS
GA	GAS ANODE
GM	GAS METER
GBX	GAS BOX
G.RSR	GAS RISER
GV	GAS VALVE
HV	HIGH VOLTAGE
IBX	IRRIGATION BOX
ICV	IRRIGATION CONTROL VALVE
IRR	IRRIGATION
L.S	LOST SIGNAL
MH	MANHOLE
NL	NOT LOCATED
PED	PEDESTAL
RW	RECLAIMED WATER
RSR	RISER
SD	STORM DRAIN
SL	STREET LIGHT
SLP	STREET LIGHT POLE
SS	SANITARY SEWER
T	TELEPHONE
TOP	TOP OF PIPE
TDN	TOP OF VALVE NUT
WBX	WATER BOX
WM	WATER METER
WV	WATER VALVE
UN	UNKNOWN UTILITY
VLT	Vault

